

Persons of same sex	Toilet bowls required
1 to 15, inclusive	1
16 to 35, inclusive	2
36 to 55, inclusive	¹ 3
56 to 80, inclusive	4
For each additional 30 persons in excess of 80 ...	¹ 1

¹Urinals may be substituted for toilet bowls but only to the extent of 1/3 of the total number of bowls stated.

§ 354.226 Lighting and ventilation.

There shall be ample light, either natural or artificial or both, of good quality and well distributed, and sufficient ventilation for all rooms and compartments to insure sanitary conditions.

(a) All rooms in which rabbits are killed, eviscerated, or otherwise processed shall have at least 30 foot candles of light intensity on all working surfaces except that at the inspection stations such light intensity shall be of 50 foot candles. In all other rooms, there shall be provided at least 5 foot candles of light intensity when measured at distance of 30 inches from the floor.

(b) All rooms shall be adequately ventilated to eliminate objectionable odors and minimize moisture condensation.

EQUIPMENT AND UTENSILS

§ 354.230 Equipment and utensils.

Equipment and utensils used for the preparation, processing, or other handling of any product in the plant shall be suitable for the purpose intended and shall be of such material and construction as will facilitate their thorough cleaning and insure cleanliness in the preparation and handling of products.

(a) Live rabbit holding pens shall be so constructed as to allow satisfactory ante-mortem examination and to permit proper cleaning.

(b) Metal refuse containers shall be provided, and such containers shall be kept covered.

(c) Insofar as it is practical, equipment and utensils shall be made of metal or other impervious material. Trucks and receptacles used for handling inedible products shall be of similar construction and shall be conspicuously and distinctly marked and shall

not be used for handling any edible products.

(d) Chilling vats or tanks used for chilling ready-to-cook rabbits shall be made of metal or other hard-surfaced impervious material.

(e) Where grading bins are used for ready-to-cook rabbits, they shall be of sufficient number and capacity to handle the grading adequately without the use of makeshift bins and all ready-to-cook rabbits shall be kept off the floor. Grading bins may be made of metal or enameled wood and shall be constructed and maintained in such a manner as to allow easy and thorough cleaning. All replacements of such bins shall, however, be of metal.

(f) Except as otherwise provided herein, all equipment and utensils used in the killing, skinning, eviscerating, chilling, and packing rooms shall be of metal or other impervious material and constructed so as to permit proper and complete cleaning.

(g) Conveyors: (1) Conveyors used in the preparation of ready-to-cook rabbits shall be of metal or other acceptable material and of such construction as to permit thorough and ready cleaning and easy identification of viscera with its carcass.

(2) Overhead conveyors shall be so constructed and maintained that they do not allow grease, oil, or dirt to accumulate on the drop chain or shackle, which shall be of noncorrosive metal.

(3) Nonmetallic belt-type conveyors used in moving edible products shall be of water-proof composition.

(h) Inspection, eviscerating, and cutting tables shall be made of metal and have coved corners and be so constructed and placed to permit thorough cleaning.

(i) In plants where no conveyors are used, each carcass shall be eviscerated in an individual metal tray of seamless construction.

(j) Water spray washing equipment shall be used for washing carcasses inside and out.

(k) Watertight metal receptacles shall be used for entrails and other waste resulting from preparation of ready-to-cook rabbits.

(l) Watertight trucks and receptacles for holding or handling diseased carcasses and diseased parts of carcasses